



**Product Family**  
**Uvex Classic**

Classic styled goggle, fits over most Rx spectacles.

Learn more about all of our Uvex plano products at [uvex.us](http://uvex.us) >

Learn more about our Uvex Rx safety frames at [uvexrx.com](http://uvexrx.com) >



**Product Numbers & Ordering Information**

	Product Numbers	Details
	S350	<b>Hood Indirect Vent</b> Clear Body, Clear Lens,Uvextreme Anti-fog Coating
	S350CF	<b>With Face Foam</b> Clear Body, Clear Lens,Uvextreme Anti-fog Coating
	S360	<b>Indirect Vent</b> Clear Body, Clear Lens,Uvextreme Anti-fog Coating
	S364	<b>Closed Vent</b> Clear Body, Clear Lens,Uvextreme Anti-fog Coating

**Additional Information**

Packaging Ind. Box, 50/case

**Overview**

**Key Features**

- Four models available for dust, mist or chemical splash – indirect vented, closed vented, indirect hooded; and for dust and mist only – indirect hooded with face foam
- Fits over most Rx spectacles
- Meets ANSI Z87+ (High Impact) and tested by Honeywell to meet the requirements of the CSA Z94.3 standard

**Hazards**

## Uvex Classic

**Regulations** • Airborne Particulates • Biohazard • Chemical • Impact • Splash

- ANSI Z87+ (High Impact) - Meets ANSI Z87+ (High Impact)
- ANSI Z.87.1/1989, CA 19,071 - Meets ANSI Z.87.1/1989, CA 19,071 ([http://www.mte.gov.br/Empregador/segssau/Pesquisa/CA\\_DET.asp?vNRCAProc=19071&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=](http://www.mte.gov.br/Empregador/segssau/Pesquisa/CA_DET.asp?vNRCAProc=19071&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=))
- CSA Z94.3 - Tested by Honeywell to meet the requirements of the CSA Z94.3 standard

### Historical Brand

Uvex

### Warranty Information

Limited warranty

## Specifications

### Lens overall width

- 160 mm (6.25) "

### Lens material

- Polycarbonate

### Lens coating

- Uvextreme® AF

### Lens thickness

- 1.4 mm (0.06) "

### Available lens tints

- Clear

### Replacement lenses available (yes/no)

- No

### Rx capable

- Fits over most Rx eyewear

### Goggle body material

- PVC

### Headband material

- Neoprene

### Goggle weight

- 105 grams (3.7 oz.)

### Available body colors

- Clear

### Country of origin

- Mexico

## Certifications

### ANSI Certificate of Compliance\_Eng

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Laser\\_Filters\\_\\_\\_Eyewear/19294/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Laser_Filters___Eyewear/19294/1033.aspx)

ANSI Certificate of Compliance\_Eng

### ANSI Certificate of Compliance\_Spanish

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Laser\\_Filters\\_\\_\\_Eyewear/19295/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Laser_Filters___Eyewear/19295/1033.aspx)

ANSI Certificate of Compliance\_Spanish

## Training & Proper Use

All products come packaged with instructions and warnings for proper use.

## Technical Support

(800) 682-0839, Sperian Protection Americas, Customer Care

### RELATED PRODUCTS

© Honeywell International Inc.