



## New OSHA Residential Construction Regulation

According to data from the department's Bureau of Labor Statistics, an average of 40 workers are killed each year as a result of falls from residential roofs. As a result, **the Occupational Safety and Health Administration (OSHA) recently announced new fall protection requirements for Residential Construction.**

The new directive requires all residential builders to comply with 29 Code of Federal Regulations 1926.501(b)(13). Construction and roofing companies will have until **March 15, 2013**, to comply with the new directive.

Under 29 CFR 1926.501(b)(13) workers engaged in residential construction six (6) feet or more above lower levels are to be protected by conventional fall protection. For roofers, the 25 foot, ground-to-eave height threshold no longer applies, nor do slide guards as an acceptable form of fall protection, regardless of the roof pitch or height of the roof eave.

These new requirements replace the Interim Fall Protection Compliance Guidelines for Residential Construction, Standard 03-00-001 that have been in effect since 1995 and allowed residential builders to bypass fall protection requirements.

All construction and roofing companies have until March 15, 2013 to comply with the new directive. OSHA has developed training and compliance assistance materials for small employers and will host a webinar for parties interested in learning more about complying with the standard.

For more information, go to:  
[www.osha.gov/doc/residential\\_fall\\_protection.html](http://www.osha.gov/doc/residential_fall_protection.html)



## Innovative Miller Fall Protection Solutions



Titan ReadyRoofer® Kit



Titan B-Compliant™ Roofing Kit



Titan ReadyWorker™ Kit



Miller Fusion™ Roof Anchor Post

For more information or to place an order, please contact your Miller® distributor:



▶ Ask the Expert ... Ask Miller.  
800/873-5242  
Fax 800/892-4078  
[www.millerfallprotection.com](http://www.millerfallprotection.com)

**Honeywell**