

# Miller QuickPick™ Rescue Kits

## Simplified Rescue Systems

### Description

QuickPick Rescue Kits deliver peace of mind during unexpected peer-rescue situations. The rescuer can remotely attach the system to the suspended worker while remaining securely anchored on the walking/working surface. All rescue components are contained in one easy to store kit with no assembly necessary – only requiring an overhead anchorage.

### Materials

<b>Pulleys:</b>	High Grade Anodized Aluminum
<b>Backup Breaking Mechanism:</b>	High Grade Anodized Aluminum
<b>Rope Control Handle:</b>	High Grade Cast Aluminum w/Stainless Steel Cam Assembly
<b>Twist-Lock Carabiner:</b>	Zinc Dichromate Plated, Forged Alloy Steel; 1-in. (25 mm) gate opening
<b>Rope:</b>	7/16-in. (11 mm) Polyamide Kernmantle
<b>Carabiner Clip:</b>	Spring stainless steel
<b>Pigtail:</b>	7/16-in. (11 mm) Polyamide Kernmantle rope
<b>Cross-Arm Anchorage:</b>	3-in. (76 mm) polyester webbing with 4-in. diameter steel D-ring; six-cord bonded three-strand polyester thread
<b>Miller WristBandit™:</b>	Polypropylene and Velcro® Velcro is a registered trademark of VELCRO USA inc.
<b>Rescue Pole:</b>	Aluminum Fiberglass
<b>Bags:</b>	Millerhyde™

*All hardware meets ASTM (50) fifty-hour salt spray test requirements*

### Technical

<b>Maximum Capacity:</b>	See chart
<b>Weights:</b>	See chart
<b>Mechanical Advantage:</b>	See chart
<b>Pulleys:</b>	Max. rope 7/16-in. (11 mm)
<b>Backup Breaking Mechanism:</b>	Two-way auto locking; max. rope 7/16-in. (11 mm)
<b>Twist-Lock Carabiner:</b>	5,000 lbs. (22.2 kN) min. tensile strength; 400-lbs. (181 kg) max. working load
<b>Rope:</b>	8,000 lbs. tensile min. strength
<b>Cross-Arm Anchorage:</b>	5,000 lbs. (22.2 kN) min. tensile strength



### Certification

Meets OSHA 1926, 1910.66, ANSI A10.32 and ANSI Z359.4\*

**Note:** Block and tackle systems are not covered under CSA Z259.2.3 Descent Devices or any other CSA Standard.

\*Only Premium Kits with Backup Braking System meet ANSI Z359.4

# Miller QuickPick™ Rescue Kits

## Simplified Rescue Systems

SKU	Description	Rope Length	Mechanical Advantage	Max. Capacity	Weight
<b>QuickPick Premium Kits</b> Include backup braking system, pulleys, rope, rescue pole with clip, pigtail, rope control handle, carabiners, cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag.					
QP/25FT	25-ft. Working Length System	125 ft. (38 m)	5:1	400 lbs. (181 kg)	22.9 lbs. (10.3 kg)
QP/50FT	50-ft. Working Length System	250 ft. (76 m)			30.4 lbs. (13.7 kg)
QP/75FT	75-ft. Working Length System	375 ft. (114 m)			37.9 lbs. (17.1 kg)
QP/100FT	100-ft. Working Length System	500 ft. (152 m)			45.4 lbs. (20.5 kg)
<b>QuickPick Standard Kits</b> Include pulleys, rope, rescue pole with clip, pigtail, rope control handle, carabiners, cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag.					
QP-1/25FT	25-ft. Working Length System	100 ft. (30 m)	4:1	310 lbs. (141 kg)	17.6 lbs. (7.9 kg)
QP-1/50FT	50-ft. Working Length System	200 ft. (61 m)			25.1 lbs. (11.3 kg)
QP-1/75FT	75-ft. Working Length System	300 ft. (91 m)			32.6 lbs. (14.7 kg)
QP-1/100FT	100-ft. Working Length System	400 ft. (122 m)			40.1 lbs. (18.1 kg)
<b>QuickPick Components</b>					
QP-EP	12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and bag	N/A	N/A	N/A	5.7 lbs. (2.5 kg)
QP-SC	Replacement Carabiner Clip	N/A	N/A	N/A	0.1 lbs. (0.04 kg)
QP-RHA	Rope Control Handle	N/A	N/A	400 lbs. (181 kg)	0.5 lbs. (0.2 kg)



by Honeywell

**For more information, please contact Honeywell Technical Service**  
Toll Free 800.873.5242 • Fax 800.892.4078 • [www.millerfallprotection.com](http://www.millerfallprotection.com)

**⚠WARNING!** THIS DOCUMENT PROVIDES AN OVERVIEW OF FALL PROTECTION PRODUCTS AVAILABLE FROM HONEYWELL AND CARE HAS BEEN TAKEN TO ASSURE THE ACCURACY OF THE DATA. IT DOES NOT PROVIDE IMPORTANT PRODUCT WARNINGS AND INSTRUCTIONS. HONEYWELL RECOMMENDS ALL USERS OF FALL PROTECTION EQUIPMENT UNDERGO THOROUGH TRAINING, AND THAT ALL WARNINGS AND INSTRUCTIONS PROVIDED WITH THE PRODUCTS BE THOROUGHLY READ AND UNDERSTOOD PRIOR TO EACH USE. FAILURE TO READ AND FOLLOW ALL PRODUCT WARNINGS AND INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.