



CORESHIELD™ GLOVE SELECTOR

Honeywell

CORESHIELD™ GLOVE SELECTOR

Find the CoreShield™ product that fits your workers like a glove!

4 EASY STEPS

- 1 Select relevant **application**.
- 2 Select **protection level** required (cut level).
- 3 Select **grip level** required (coating).
- 4 Select **dexterity level** required (gauge).

FIND YOUR CORESHIELD™ IN 4 STEPS

Cut-protective gloves are classified according to their cut resistance level. New standards, EN 388:2016 in Europe and ANSI/ISEA 105-2016 in North America, have now made this

classification simpler, so blaming a wrong selection on unclear glove markings is no longer an excuse!

But making the correct choice is more than just getting cut protection levels right. Ultimately, it all depends on the application so the big question to answer

is: **who** are the gloves for and **what** will they be used for?

The Honeywell CoreShield™ range offers complete cut protection, from the lowest to the highest level, in a choice of gauges and coatings. **Follow these 4 easy steps** to find the CoreShield™ product that will fit your workers like a glove:

CoreShield™ 
Cut protection made simple

STEP 1	EXAMPLES OF APPLICATIONS	General handling, small parts assembly, packaging, warehousing, light maintenance, material handling, shipping	Material handling, small parts assembly, light metal stamping, automotive assembly, white goods parts assembly	Light duty sheet, metal and glass, handling, metal stamping, parts assembly, metal recycling	Glass handling, drywall work, automotive assembly, metal fabrication and handling, metal cans handling, steel wires handling, metal recycling	Heavy duty sheet metal handling, glass handling, machining, metal stamping, metal recycling	Heavy duty sheet metal handling, metal recycling	Metal stamping, metal recycling, paper and pulp (slitter blade replacement), automotive assembly, metal fabrication, sharp metal stamping, glass manufacturing, window manufacturing	Assembly or movement of large, bulky or heavy objects with sharp edges. Assembly or movement of difficult-to-grip items	
STEP 2	CUT LEVEL	LOW	MEDIUM	HIGH		EXTRA HIGH			MAXIMUM	
	ANSI/ISEA 105-16	A1	A2	A3	A4	A5	A6	A7	A8	A9
	CUT RESISTANCE IN GRAMS (weight required to cut through glove)	200-499 grams	500-999 grams	1000-1499 grams	1500-2199 grams	2200-2999 grams	3000-3999 grams	4000-4999 grams	5000-5999 grams	6000+ grams
	EN 388:2016	A	B	C	D	E	F	F	F	F
STEP 3	STEP 4	→								
COATING (grip level)	GAUGE (dexterity level)									
Smooth Nitrile: Dry grip, water and oil proof, durability	Gauge 10 good fit/dexterity								28-0910B 	29-0910B 
	Gauge 13 great fit/dexterity		22-7913B 	23-0913B 	24-0913B 	25-0913B 	26-0913B 			
Micro Foam Nitrile: 360° breathability, excellent grip, reduced hand fatigue, comfort, abrasion resistance	Gauge 13 great fit/dexterity		22-7513B 	23-0513B 	24-0513B 	25-0513B 	26-0513B 	27-0513B 		
	Gauge 15 excellent fit/dexterity		22-7513W 		24-0513W 		26-0513W 			
Super Thin Nitrile: Softness and comfort hand feeling, dry grip, water and oil proof	Gauge 15 excellent fit/dexterity	21-1515B 								
	Gauge 18 extraordinary fit/dexterity	21-1518B 	22-7518B 	23-7518B 	24-9518B 					
		21-1818B 								

Have you not found it yet? Get in touch! One of our experts will help find the glove you need.

For More Information

www.industrialsafety.honeywell.com

Honeywell Industrial Safety

9680 Old Baires Road,
Fort Mill, SC 29707, USA
USA 800.430.5490 Canada 888.212.7233

GS_GLOVES_CoreShield_SelectorGuide_EN_US_
HCU003_06/19
© 2019 Honeywell International Inc.

**THE
FUTURE
IS
WHAT
WE
MAKE IT**

Honeywell