



## **Gas Detection Visualisation Solutions (GDVS)**

for Controllers and Transmitters

# Gas Detection Visualisation Solutions (GDVS) in latest web technology

## FEATURES

- Client Server Architecture based on Web Server Technology from atvise®
- The development of atvise's scada is based on latest technologies and standards like SVG (Scalable Vector Graphic)
- atvise® scada applies to "pure web" technology, Clients without being limited by ad-on or plug-ins such as ActiveX, Java or Silverlight
- Clients simply require the latest standard web browser and nothing else!
- Graphical User Interface in pure web technology with SVG
- Online Engineering
- Multi-User
- Integrated Alarm-Event logging
- Alarm and Event History accessible direct from the user interface (up to 365 days). Time frame flexible definable. Selected history frame savable as csv file direct from the user interface
- Trend history accessible direct from the user interface (up to 365 days)
- Online language change (German / English)
- Available user and permission management
- Interface to other systems


## GDVS User Interface

- Available standard solution with user friendly and intuitive user interface and architecture
- On request customer specific solutions possible




## Consistently crisp images: high-end vector graphics


atvise® uses scalable vector graphics (SVGs) to visualise your devices, components, or even entire systems. This web standard, laid down by W3C (World Wide Web Consortium), works with any resolution. Zoom the display in or out as you wish – the images never look "pixelated", but always remain razor sharp!




Pixel



WMF



SVG



## Technical Specifications

SYSTEM REQUIREMENTS IN SERVER			
DEVICE	PC or Server in current standard specification. Specification may differ and depend also on system size, Details on request.	Operating System	Windows 7 (32-bit or 64-bit), Windows Server 2008. Other operating systems are possible, details on request.
SYSTEM REQUIREMENTS CLIENT			
APPLICATION	PC, Notebook, Tablet, Smartphone, iPad dependant on system size .cpu + memory requirements may differ and depend also on system size. Details on request.	Web browser	Any current browser such as Internet Explorer, Chrome,Safari, Firefox and others.
OPERATING SYSTEM	Any supported operating system		



# Honeywell Gas Detection

**Honeywell is able to provide gas detection solutions to meet the requirements of all applications and industries.  
Contact us in the following ways:**

**Find out more:**

[www.honeywellanalytics.com](http://www.honeywellanalytics.com)  
[www.raesystems.com](http://www.raesystems.com)

**Americas**

Honeywell Analytics Distribution Inc.  
405 Barclay Blvd.  
Lincolnshire, IL 60069  
USA  
Tel: +1 847 955 8200  
Toll free: +1 800 538 0363  
Fax: +1 847 955 8210  
[detectgas@honeywell.com](mailto:detectgas@honeywell.com)

RAE Systems by Honeywell  
Phone: 408.952.8200  
Toll Free: 1.888.723.4800  
Fax: 408.952.8480

**Technical Services**

EMEA: [HAexpert@honeywell.com](mailto:HAexpert@honeywell.com)  
US: [ha.us.service@honeywell.com](mailto:ha.us.service@honeywell.com)  
AP: [ha.ap.service@honeywell.com](mailto:ha.ap.service@honeywell.com)

[www.honeywell.com](http://www.honeywell.com)

**Europe, Middle East, Africa**

Life Safety Distribution GmbH  
Javastrasse 2  
8604 Hegnau  
Switzerland  
Tel: +41 (0)44 943 4300  
Fax: +41 (0)44 943 4398  
[gasdetection@honeywell.com](mailto:gasdetection@honeywell.com)  
Customer Service:  
Tel: 00800 333 222 44  
(Freephone number)  
Tel: +41 44 943 4380  
(Alternative number)  
Fax: 00800 333 222 55  
Middle East Tel: +971 4 450 5800  
(Fixed Gas Detection)  
Middle East Tel: +971 4 450 5852  
(Portable Gas Detection)

**Asia Pacific**

Honeywell Industrial Safety  
7F SangAm IT Tower,  
434, Worldcupbuk-ro, Mapo-gu,  
Seoul 03922,  
Korea  
Tel: +82 (0) 2 6909 0300  
Fax: +82 (0) 2 2025 0328  
India Tel: +91 124 4752700  
China Tel: +86 10 5885 8788 3000  
[analytics.ap@honeywell.com](mailto:analytics.ap@honeywell.com)

DS01140\_V2\_09-16\_EN  
Copyright © 2016 Honeywell International Inc.  
All rights reserved.

**Honeywell**